



# Compact Fully Automatic Weigh-Wrap-Price Labeller

Model: AW5600CP2AUTO



## AW5600CP2AUTO Compact & Fully Automatic Weigh Wrap Price Labellers save precious floor space whilst meeting the high demands of efficient food weighing and packing operations.

The AW5600CP2AUTO delivers fast accurate and automatic weigh labelling, and the newly enhanced sealing system means the wrapping finish is even better than in previous models, resulting in superior onshelf food presentation & hygiene. It features a smaller footprint than other fully automatic wrappers and only requires approximately 1m<sup>2</sup> floor space.

Legal for trade use in New Zealand, and with an impressive weigh-wrap-labelling speed of up to 30 packs per minute, this compact wrapper is certain to enhance operations where accurate weighing, packing and pricing is required.

#### 15" Large Full Colour Touch Screen

The user-friendly operator screen improves efficiency and flexible formatting means size, colour and location can be changed to suit your operation.

- Preset and frequently used function keys can be assigned for quick access.
- Label content can be previewed on the display prior to printing to prevent labelling errors.
- The screen angle is adjustable to ensure good viewing for all operators and lighting conditions.



#### Enhanced Sealing System for Attractive Hygienic Food Packaging

The AW5600CP2AUTO features an enhanced sealing system and newly designed labelling arm for automatic label placement.

Together these features deliver a truely superior packaging finish with tight clean wrap and accurately positioned labels, all of which create greater consumer appeal and confidence in the quality of your product.



#### **Linerless Labelling with Built-In Auto-Cutter**

DIGI's linerless labelling technology with a unique built-in label cutter eliminates liner waste, increases flexibility and profit.

- Eliminate wasted white space on big labels. The auto-label-sizing feature eliminates unused space on the label and automatically adjusts the label size. This reduces the label cost and makes labels more attractive.
- Increased flexibility in label formatting. The auto-cut feature cuts from a continuous strip of linerless labels every time a label is printed. Variable label layouts and sizes can be printed from a single cut. This reduces the number of label types you need to store and time spent on changing label rolls for different product.
- No more label liner waste. The elimination of backing paper for labels (label liner) means no liner waste to store or dispose of which frees up valuable floor space and contributes positively to environmental goals.





Specifications may change without notice

### Compact Fully Automatic Weigh-Wrap-Price Labeller

Model: AW5600CP2AUTO

#### **Smart Labelling**

#### 80 mm wide 300 dpi thermal head

The 300 dpi thermal head enables clear and crisp label printing for enhanced consumer appeal and quality bar code printing for accurate scanning at checkout. DIGI's signature 80 mm print width allows more information to be included on labels so that labelling regulations are met while still keeping attractive advertising messages.

#### Easy label change

The AW5600CP2AUTO has a very simple spooling structure for the label roll. This allows for quick, easy exchange of label rolls in the front-loading labeller.

#### High productivity

Weighing, wrapping, and price labelling is automatically done in one pass at an impressive speed of up to 30 packs per minute. In addition to enhanced shelf appeal and hygiene, the superior quality of wrapping and labelling results in less goods needing to be repacked or returned due to leakage.



#### **FEATURES OVERVIEW**

- legal for trade use
- compatible with Wedderburn's PVC-free stretch film
- film loading is fast and easy
- small footprint that saves valuable floor space
- easy to use with large 15" full colour touch screen and on-screen help messages
- capable of wrapping trays up to 130 mm high
- weighs, wraps, prices and labels efficiently at a speed of up to 30 packs per minute
- wide 300 dpi thermal head allows more detail to be printed on labels up to 80 mm wide
- engineered to use environmentally conscious linerless labels
- free-layout function keys allow users to customise the key layout
- fast PLU file communication via Ethernet
- contact parts such as the weighing platter can be easily accessed and removed for thorough cleaning so that excellent hygiene standards can be maintained
- optional wireless RF communication for a cable-free environment
- optional second labeller

Specifications may change without notice

### Compact Fully Automatic Weigh-Wrap-Price Labeller

Model: AW5600CP2AUTO

#### **SPECIFICATIONS**


Capacity:	6 / 15 kg x 2 / 5 g (multi-interval)	
Package size (mm):	Width: 130 - 350 Depth: 80 - 230 Height: 10 - 130	
	The maximum combination of the above dimensions is not available and the available package size depends on the film width.	
Wrapping speed:	Maximum 30 packs per minute	
Number of Film Rolls:	One	
Film Width (mm)	300 - 500	
Label Type:	Thermal Paper / Die Cut	Thermal Paper / Linerless
Label Width (mm):	40 - 80	44 - 59
Label Length (mm):	28 - 150	28 - 105
Display Panel:	15 inch TFT colour touch panel	
Keypad:	Pictorial or English	
Programmable Items:	PLU no., commodity name, ingredient, unit price, price, tare weight, sell-by-date, taste-by-date, department name, barcode (UPC, EAN), target weight, special message, advertising message, shop name & logo, extra print format, wrapping conditions, etc.	
Power requirement:	Single phase, 220 - 240 V, 50 Hz, 1.8 kw	
Overall dimensions (mm):	1060 (W) x 982 (D) x 1786 (H)	
Net weight:	Approximately 360 kg	


#### FRONT VIEW

# 980 750 1786 Including wire

**SIDE VIEW** 







Specifications may change without notice