



Industrial In-Line Check Weighers

Model : TSXCK Series

High precision In-Line Check Weighers engineered for accurately checkweighing cartons on a production line. Our range of DIGI In-Line Checkweighers use high precision German loadcells and fast processing circuitry to ensure fast and accurate weight readings every time.

Smooth and quiet belt operation helps achieve high accuracy weighing to protect your brand reputation and reach your legal requirements. From standard spec units with optional rejection, through to custom specified units designed to meet your ultimate needs, we have an option for you.

FEATURES

- quiet and smooth belt operation
- 2 model types - Carton Weigher (XCK) or Product Weigher (XCG)
- variety of belt widths and lengths available to suit every size
- left or right models depending on factory flow
- live on-screen statistical data for instant production review
- external rejector options
- stainless steel or powder coated options

OPTIONS

- stand alone push ram stand (utilising existing conveyors)
- conveyor with integrated push rejector
- drop rejection conveyor



Refer page 2 for additional specifications

Specifications may change without notice

PACKAGING EQUIPMENT

LABELS | LABELLING EQUIPMENT | PACKAGING EQUIPMENT
ESL & DIGITAL SIGNAGE | WEIGHING SCALES | POS SYSTEMS
FOOD EQUIPMENT | MAINTENANCE & REPAIRS | HIRE

0800 800 379
enquiries@wedderburn.co.nz
www.wedderburn.co.nz

Industrial In-Line Check Weighers

Model : TSXCK Series

SPECIFICATIONS


MODELS	TSXCKSS30		TSXCK30	TSXCKSS50		TSXCK50	TSXCK SPECIAL
Weighing Capacity	30 kg			50 kg			-
Weighing Accuracy (at max speed)	10 g			20 g			-
Increments	5 g			10 g			-
Interface	8.4 inch touch			8.4 inch touch			8.4 inch touch
Number of Programs	100			100			Customised to meet customer's specifications
Conveyor Speed (max)	50 m / min			50 m / min			
Belt Width (mm)	400 mm			500 mm			
Max Packs Per Minute	30			30			
Scale Size	400 x 600			500 x 800			
USB Data Export	Yes			Yes			
PC Connectivity	Ethernet			Ethernet			
Flow Direction	L-R or R-L			L-R or R-L			
Perspex Windshield	N/A			N/A			
Construction	Stainless Steel		Powder Coated	Stainless Steel		Powder Coated	
Footprint Spacing (mm)	460 x 600			660 x 700			
Height (mm)	TBC ± 50 mm			TBC ± 50 mm			
From conveyor belt to ground							
Power Supply	240 V			240 V			

OPTIONS


Ram Rejector Stand ID (TSXCK-RAMSTAND)	Available on indent
Drop Rejector Conveyor ID (TSXCK-PUSHCONVEYOR)	Available on indent
Push Rejector Conveyor ID (TSXCK-DROPCONVEYOR)	Available on indent

REJECTOR OPTIONS

Drop Down (Small Product)



Push Arm (Hard/Heavy Product)



PACKAGING EQUIPMENT

LABELS | LABELLING EQUIPMENT | PACKAGING EQUIPMENT
ESL & DIGITAL SIGNAGE | WEIGHING SCALES | POS SYSTEMS
FOOD EQUIPMENT | MAINTENANCE & REPAIRS | HIRE

Specifications may change without notice

0800 800 379
enquiries@wedderburn.co.nz
www.wedderburn.co.nz